

EXPONA[®] SimpLay

LOOSE LAY VINYL FLOOR TILES



Grey Country Oak

The choice is simple

Aesthetics and practicality are key when selecting a suitable floorcovering, and high-traffic commercial interiors require the ultimate expressions of both. The Expona SimPlay collection of loose lay vinyl tiles and planks offer authentic reproductions of beautiful natural materials presented in an adhesive-free product designed to reduce installation time.

As Expona SimPlay can be installed over many different types of existing floorcoverings, subfloor preparation is significantly reduced making it a practical choice for many heavy commercial applications including office and retail sectors, and because it is loose lay each plank or tile can be installed, lifted and reinstalled elsewhere without leaving any residue.

This highly durable product is 100% recyclable and features a hygienic polyurethane reinforcement (PUR) to protect the floor and reduce ongoing maintenance costs.

expona® SimPlay



WOOD



White Rustic Pine

1219

178

- Format sizes in mm
- Surface embossing: Rustic wood structure

Beautifully capturing the coarse grain texture, knots and cracks of rustic wood planks, this collection of pine designs in cool neutral shades offers a contemporary twist on a wood species traditionally used in commercial interiors.

2513 White Rustic Pine

plank w/l 177.8 x 1219.2mm



2514 Natural Rustic Pine

plank w/l 177.8 x 1219.2mm



Natural Rustic Pine

WOOD



Medium Classic Oak


1505

- Format sizes in mm
- Surface embossing: Fine wood structure


185

The beauty and simplicity of these traditional oak plank designs, continue to be firm favourites within commercial installations due to their calming warm tones and familiar decoration. The larger plank format and bevelled edges add to the authenticity of the planks.

2520 Light Classic Oak

 plank w/l 185 x 1505mm


2521 Medium Classic Oak

 plank w/l 185 x 1505mm



American Oak

1219

- Format sizes in mm
- Surface embossing: Fine wood structure

178

2503 American Oak

 plank w/l 177.8 x 1219.2mm




Rich Oak

1219

178

- Format sizes in mm
- Surface embossing: Fine wood structure

By focusing on the intricacy and individualism of the wood grain, and combining it with deep lively auburn tones, the depth of character and strength within these oak designs has been beautifully replicated and finished with an authentic surface texture.

2500 Rich Oak

 plank w/l 177.8 x 1219.2mm


2502 Natural Oak

 plank w/l 177.8 x 1219.2mm


Rich Oak


2516 Grey Rustic Oak

 plank w/l 177.8 x 1219.2mm


2517 Natural Rustic Oak

 plank w/l 177.8 x 1219.2mm


2515 Brown Rustic Oak

 plank w/l 177.8 x 1219.2mm


Natural Rustic Oak


1219

178

- Format sizes in mm
- Surface embossing: Rustic wood structure

Here we feature the more traditional, ever popular, warm oak tones in reclaimed rustic planks. The open, lively grain patterning combined with a heavy surface texture gives the flooring weight and a sense of history in its appearance.

2508 Golden Rustic Oak

 plank w/l 177.8 x 1219.2mm


1719

178

- Format sizes in mm
- Surface embossing: Rustic wood structure

Typically found in country style interiors, this rural weathered floorcovering has been given a modern appearance by using cooler tones to bring the grain detailing to life. Together with the slimmer plank format, this collection of planks is perfectly suited to a contemporary office installation.




Dark Country Oak

2506 Grey Country Oak


 plank w/l 177.8 x 1219.2mm


2505 Dark Country Oak

 plank w/l 177.8 x 1219.2mm


Blond Country Oak

2507 Blond Country Oak

 plank w/l 177.8 x 1219.2mm


1219


178

- Format sizes in mm
- Surface embossing: Fine wood structure


The beautiful elongated grain, simplicity and subtle tonal qualities of ash planks have made it increasingly popular in commercial interiors due to its sophisticated appearance and smooth finish. These Grey and Natural shades compliment the slim plank format, whilst the bevelled edges adds authenticity to the designs.



2512 Grey Ash

 plank w/l 177.8 x 1219.2mm


2511 Natural Ash

 plank w/l 177.8 x 1219.2mm





Rich Walnut

1719 178

- Format sizes in mm
- Surface embossing: Fine wood structure

Traditionally used in furniture and interior fixtures, both Walnut and Cherry wood species are rich in colour, grain patterning and character. The subtle tonal differences within each plank creates a classic, striking effect, further emphasised with the addition of bevelled edges.


2504 Rich Walnut

 plank w/l 177.8 x 1219.2mm



Light Cherry

2501 Light Cherry

 plank w/l 177.8 x 1219.2mm



1219


178

- Format sizes in mm
- Surface embossing: Fine wood structure


The elegant directional grain patterning of these Finline wood designs, together with the various cool grey tones within each plank creates a modernistic, abstract effect further emphasised by the linear surface texture.



2509 Light Grey Finline

 plank w/l 177.8 x 1219.2mm


2510 Dark Grey Finline

 plank w/l 177.8 x 1219.2mm


WOOD



Brown Mystique Wood

1505

185

- Format sizes in mm
- Surface embossing: Rustic wood structure

The dramatic grain patterning and cross sawn surface texture on these Mystique Wood planks suggests an aged, industrial timber that has been weathered over the years. The intense rich chestnut shades and knots in Brown Mystique Wood are suited to the salvaged look, whilst the colouring of Grey Mystique Wood can complement sleek, contemporary interiors.

2518 Grey Mystique Wood

 plank w/l 185 x 1505mm


2519 Brown Mystique Wood

 plank w/l 185 x 1505mm


Grey Mystique Wood




STONE & EFFECT

STONE

2568 Warm Grey Concrete

tile w/l 600 x 600mm



2566 Cold Grey Concrete

tile w/l 600 x 600mm



2569 Dark Grey Concrete

tile w/l 600 x 600mm



Light Grey Concrete



- Format sizes in mm
- Surface embossing: Fine stone structure

Providing a neutral, polished surface that complements a variety of fixtures, fittings and textures, this cohesive collection of cool grey concrete tiles features subtle tonal variations and a finely detailed surface texture.

2567 Light Grey Concrete

tile w/l 600 x 600mm



STONE



Limed Concrete



- Format sizes in mm
- Surface embossing: Fine stone structure

Departing from the traditional grey concrete tones on the previous pages, Limed Concrete and Black Concrete create the effect of light and dark stone surfaces, whilst capturing the smooth polished finish of poured concrete tiles. Use individually or together to create a striking design floor.

2540 Limed Concrete

tile w/l 457.2 x 457.2mm



2541 Black Concrete

tile w/l 457.2 x 457.2mm



Limed Concrete & Black Concrete

2542 Champagne Limestone

tile w/l 457.2 x 457.2mm



2543 Jerusalem Limestone

tile w/l 457.2 x 457.2mm



2544 Cathedral Limestone

tile w/l 457.2 x 457.2mm



Jerusalem Limestone & Ground Limestone



- Format sizes in mm
- Surface embossing: Fine stone structure

Traditional limestone tiles have remained a popular choice for large scale commercial interiors due to the tonal variations and lively decoration. The Expona SimPlay collection of Limestone tiles offer an array of beautifully replicated designs in neutral shades that can be combined with an assortment of furnishings.

2545 Ground Limestone

tile w/l 457.2 x 457.2mm






Slate

457

- Format sizes in mm
- Surface embossing: Grey Sandstone, Fine stone structure
Slate, Slate structure


The timeless elegance of natural slate and sandstone have been beautifully captured in each of these designs, supported by authentic surface textures and the high level of clarity in decoration and tonal variation. Depicted in classic colourways, Slate and Grey Sandstone can be used in a range of functional environments.

2560 Slate

 tile w/1 457.2 x 457.2mm


Grey Sandstone

2561 Grey Sandstone

 tile w/1 457.2 x 457.2mm


EFFECT



Charcoal Weave

457

- Format sizes in mm
- Surface embossing: Fine stone structure

Drawing inspiration from natural textiles and materials, these weave designs offer a minimal yet effective floor finish. The simplistic colourways combined with the irregularities of the grid pattern creates subtle movement within each tile.

2546 Porcelain Weave

tile w/l 457.2 x 457.2mm



2547 Charcoal Weave

tile w/l 457.2 x 457.2mm



Porcelain Weave & Charcoal Weave

EFFECT



Dark Grey Leather

457


457

■ Format sizes in mm


■ Surface embossing: Leather structure

The indulgent luxury of real leather furnishings has now been captured in these highly authentic leather effect tiles. With the addition of a faithfully reproduced leather surface texture, both the Brown and Dark Grey options deliver a distinct interior style that will make any installation stand apart.

2564 Brown Leather

 tile w/l 457.2 x 457.2mm


2565 Dark Grey Leather

 tile w/l 457.2 x 457.2mm


Brown Leather

and advice

Meet the team

Enjoy Birmingham with a 4G network you can depend on

Help and advice

Meet the team

Good stuff from Vodafone

Worry free roaming

Top up

Top up and we'll treat you

Top 10 Best Sellers

THE COLLECTION

To authentically replicate the natural beauty of timber planks, the products may contain knots and variations in markings as part of their design. Although we endeavour to ensure the brochure represents the true colour of each product, we recommend you view an actual sample which we shall be pleased to supply, free of charge. Visit polyflor.com and follow the samples link for further details.

7¼" wide x 59¼" length
185 x 1505mm Bevelled Edges




2520 Light Classic Oak



2521 Medium Classic Oak



2519 Brown Mystique Wood



2518 Grey Mystique Wood

7" wide x 48" length
177.8 x 1219.2mm Bevelled Edges



2506 Grey Country Oak



2514 Natural Rustic Pine



2507 Blond Country Oak



2517 Natural Rustic Oak



2503 American Oak



2511 Natural Ash

7" wide x 48" length
177.8 x 1219.2mm Bevelled Edges



2513 White Rustic Pine



2512 Grey Ash



2501 Light Cherry



2502 Natural Oak




2509 Light Grey Finline



2516 Grey Rustic Oak



2508 Golden Rustic Oak



2500 Rich Oak



2510 Dark Grey Finline



2505 Dark Country Oak



2515 Brown Rustic Oak



2504 Rich Walnut

18" wide x 18" length
457.2 x 457.2mm



2542 Champagne Limestone



2543 Jerusalem Limestone



2544 Cathedral Limestone



2545 Ground Limestone



2540 Limed Concrete




2541 Black Concrete

18" wide x 18" length
457.2 x 457.2mm Bevelled Edges



2561 Grey Sandstone



2560 Slate


23 3/4" wide x 23 3/4" length
600 x 600mm Bevelled Edges



2567 Light Grey Concrete



2568 Warm Grey Concrete



2566 Cold Grey Concrete



2569 Dark Grey Concrete

18" wide x 18" length
457.2 x 457.2mm



2546 Porcelain Weave




2547 Charcoal Weave

18" wide x 18" length
457.2 x 457.2mm Bevelled Edges



2564 Brown Leather



2565 Dark Grey Leather



To authentically replicate the natural beauty of stone, slate and concrete, the products may contain variations in markings as part of their design. Although we endeavour to ensure the brochure represents the true colour of each product, we recommend you view an actual sample which we shall be pleased to supply, free of charge. Visit polyflor.com and follow the samples link for further details.



Expona SimpLay product construction


- ① Polyurethane reinforcement
- ② Clear and embossed wear layer
- ③ Decorative printed layer
- ④ Load bearing layer
- ⑤ Glass fibre stabilisation layer
- ⑥ Second load bearing layer
- ⑦ Non-skid honeycomb backing layer

Specifications	Standards	Expona SimpLay PUR
Type of Floorcovering	EN 649/EN ISO 10582	Heterogeneous
Surface Treatment		PUR
Gauge	EN 428/EN ISO 24346	5.0mm
Wear Layer	EN 429/EN ISO 24340	0.7mm
Performance Classification	EN 685/EN ISO 10874	23, 34, 43
Tile Size	EN 427	12 tiles, 457 x 457mm = 2.50m ² 6 tiles, 600 x 600mm = 2.16m ²
Plank Size	EN 427	10 planks, 178 x 1219mm = 2.17m ² 8 planks, 185 x 1505mm = 2.23m ²
Total Weight	EN 430/EN ISO 23997	8,000g/m ²
Residual Indentation	EN 433/EN ISO 24343-1	≤ 0.05mm
Abrasion Resistance	EN 649	Group T
	EN ISO 10582	Type 1
Dimensional Stability	EN 434/EN ISO 23999	≤ 0.1% max
Behaviour to Fire	EN 13501-1	Class Bfl-S1
Slip Resistance	DIN 51130	R10
	EN 13893	For safety flooring with sustainable wet slip resistance, refer to Expona Control or Polysafe ranges Class DS (Dry Slip)
Underfloor Heating Suitability	EN 1264-2	Suitable, Max 27°C
Colour Fastness to Artificial Light	ISO 105-B02 method A	≥ 6
Castor Chair Suitability	EN 425/ISO 4918	Suitable
Impact Sound Reduction	EN ISO 10140-3	9dB
VOC Test	Indoor Air Comfort GOLD	Eurofins certified product
	AgBB	Very Low Emissions
	FloorScore	Certified product
Environmentally Preferable Flooring	Expona SimpLay PUR has a generic BRE A+ rating in the green guide to specification. Expona SimpLay PUR is 100% recyclable. Recyclable via the Recofloor scheme. Visit www.polyflor.com/environment	

Variation in colour and design is a feature of these products intended to enhance the natural appearance of the floor.

Expona SimpLay tiles and planks have been developed for loose lay installation, without the use of adhesive. For certain heavy traffic and rolling load applications, or larger-scale heavy commercial environments, Expona SimpLay double sided tape (item code DS004) may be required.

For further information contact Polyflor.



Environment and Sustainability

Polyflor have for many decades been recognised as a leading global manufacturer of high quality, high performance floorcoverings. We have demonstrated a high level of commitment and endeavour to minimise the impact our products have on the environment. Expona meets these requirements with a focus on sustainability and a healthy indoor climate.

All Expona flooring has the prescribed **CE mark**, as a European declaration of performance and is regularly tested to ensure the exceptional standards are continually met. As an example, an annual external inspection of the ingredients and emissions behaviour by Eurofins, one of Europe's leading service providers in the field of analysis, ensures consistent quality.

In specific global markets Expona meets stringent technical requirements. If further information is required, contact Polyflor Customer Technical Services.

Expona has achieved the **Indoor Air Comfort Gold** rating. This certificate, issued by Eurofins, is awarded to products with VOC emissions below any globally determined VOC limits.



All Expona flooring is also **100% recyclable** and contains average **40% recycled material**, and can be reused in materials. The recycled materials are integrated into new flooring production insofar as this is possible.

As a member of ERFMI, the European Resilient Flooring Manufacturer's Institute, Polyflor, a company of James Halstead PLC, supports the ideal of sustainable construction and has prepared an **Environmental Product Declaration (EPD)**. Expona floorcoverings have been assessed under the EN 15804 programme of the Institute for Construction and Environment (IBU) for the environmental assessment of buildings.

Depending on the product concerned, the flooring is certified with **FloorScore**, **BRE** or **LEED credits**.

Website

Visit www.polyflor.com for detailed product and technical information on all collections within the Polyflor portfolio. This award winning website runs with easy to follow navigation to help you find exactly what you are looking for. Downloads and free product and literature samples can easily be ordered through the site too.



Sample Service

Sample your choice of flooring before you make your final selection, at no cost. We provide complimentary product samples to ensure you find the exact floorcovering you are looking for.

To order your free sample of any colour, visit the Polyflor website, as above, call the dedicated Polyflor Samples Hotline on +44 (0)161 767 2551 or speak with your local Polyflor provider.

samples >>> direct



Contact us

For general information on your specific project, either speak with your local Polyflor provider or contact us directly. If you require additional detailed technical data, either visit www.polyflor.com, following links to the technical pages or contact **Polyflor Customer Technical Services** on: Tel: +44 (0)161 767 1912 or Email: tech@polyflor.com

For details of international Expona availability see the back cover of this brochure for global contacts or visit www.polyflor.com and follow the Contact Us link.



Dark Country Oak

EXPONA[®] SimpLay

POLYFLOR™ INTERNATIONAL

Australia

Polyflor Australia
Tel: +61 3 9215 4400
Tel: 1800 777 425
E-mail: sales@polyflor.com.au

Canada

Polyflor Canada Inc.
Tel: +1 905 364 3000
E-mail: sales@polyflor.ca

China

Polyflor Hong Kong
Tel: +(852) 2865 0101
E-mail: info@polyflor.com.hk

France

James Halstead France SAS
Tel: +33 (0) 8 20 20 32 11
E-mail: info@jhfrance.fr

Germany

objectflor Art und Design Belags GmbH
Tel: +49 (0) 2236 966 330
E-mail: info@objectflor.de

India

Polyflor India Pvt Ltd
Tel: +91 22 4476 4567
E-mail: info@polyflor.co.in

Ireland

Polyflor Ireland
Tel: +353 (1) 864 9304
E-mail: salesireland@polyflor.com

New Zealand

Polyflor New Zealand
Tel: +64 9 269 1111
Tel: 0800 765 935
E-mail: sales@polyflor.co.nz

Norway

Polyflor Nordic
Tel: +47 23 00 84 00
E-mail: firmapost@polyflor.no

Poland

Polflor Sp. Z o.o.
Tel: +48 (0) 61 820 3155
E-mail: polyflor@polflor.com.pl

Russia

Polyflor Contract Ltd
Tel: +7 (812) 332 42 02
E-mail: info@polyflor.ru

South Africa

Poly Sales Africa (Pty.) Ltd
Tel: +27 11 609 3500
E-mail: info@polyflor.co.za

Sweden

FalckDesign AB
Tel: +46 (0) 300 15820
E-mail: info@falckdesign.com

www.polyflor.com

POLYFLOR™ HEAD OFFICE

POLYFLOR LTD. PO BOX 3 RADCLIFFE NEW ROAD WHITEFIELD MANCHESTER M45 7NR UK

UK SALES DIRECT: +44 (0)161 767 1122

UK SAMPLE REQUESTS: +44 (0)161 767 2551

EXPORT SALES DIRECT: +44 (0)161 767 1913

UK FAX:

+44 (0)161 767 1128

EXPORT FAX:

+44 (0)161 767 1166

TECHNICAL SUPPORT: +44 (0)161 767 1912

RECEPTION:

+44 (0)161 767 1111

E-MAIL:

INFO@POLYFLOR.COM

WEBSITE:

WWW.POLYFLOR.COM