

Certificate of Validation

Certificate Number: ENP472

Issue: 5

5 OF L CERT

Polyflor Ltd

Radcliffe New Road Whitefield Manchester M45 7NR

Having complied with the requirements of:

Environmental Profile

BRE Global Scheme Document SD028 and

BRE Methodology for Environmental Profile of Construction Products SD6050

is authorised to use the BRE Global Certification Mark on the following product(s) and associated stationery and publications:

Product(s)

For a list of products covered by this certificate and details, please see Appendix

This certificate and appendix is maintained and held in force through annual review and verification.



Signed for BRE Global Ltd.

Laura Critien
Certification Schemes Manager

20 December 2019

Date of Issue

19 December 2022

Expiry Date

& AL CERT



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.greenbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.greenbooklive.com/check, scan the QR Tag, or contact us.

BRE Global Ltd., Garston, Watford WD25 9XX. T: +44 (0)333 321 8811 E: Enquiries@breglobal.com





Appendix to Certificate No: ENP472

Issue: 5

Polyflor Ltd

Product list

Description	Appendix Ref. for details
Polyflor Standard XL, 2mm homogeneous vinyl flooring, 3200gsm	ENP472/a-f
Polyflor XL PU, 2mm homogeneous vinyl flooring, 3200 gsm	ENP472/g-l
Polysafe Ecomax, 2mm calendered vinyl safety flooring. 3350 gsm	ENP472/cg-cl
Polyflor 2000 PUR, 2mm homogeneous vinyl flooring, 3550 gsm	ENP472/m-r
Polyflor Classic Mystique PUR, 2mm homogeneous vinyl flooring, 3250 gsm	ENP472/s-x
Polyflor Pearlazzo PUR, 2mm homogeneous vinyl flooring, 2950 gsm	ENP472/ae-aj
Polyflor Prestige PUR, 2mm homogeneous vinyl flooring, 2950 gsm	ENP472/ak-ap
Polyflor Palettone PUR, 2mm homogeneous vinyl flooring, 2800 gsm	ENP472/dk-dp
Polysafe Astral PUR, 2mm safety flooring, 2450 gsm	ENP472/aq-av
Polysafe Hydro, 2mm safety flooring, 2910 gsm	ENP472/bc-bh
Polysafe Mosaic PUR, 2mm safety flooring, 2400 gsm	ENP472/bi-bn
Polysafe Standard PUR, 2mm safety flooring, 2430 gsm	ENP472/bo-bt
Polysafe Ultima, 2.5mm safety flooring, 3000 gsm	ENP472/ca-cf
Polysafe Apex, 2.5mm safety flooring, 3150 gsm	ENP472/cm-cr
Polysafe Hydro Evolve, 2mm safety flooring, 2960 gsm	ENP472/cs-cx
Polysafe Verona (Original and Pure Colours) PUR, 2mm safety flooring, 2600 gsm	ENP472/cy-dd
Polysafe Vogue Ultra PUR, 2mm safety flooring, 2400 gsm	ENP472/de-dj
Polysafe Quattro PUR, 2mm safety flooring, 2700 gsm	ENP472/dq-dv

This certificate and appendix is maintained and held in force through annual review and verification.



Signed for BRE Global Ltd.

Laura Critien

Certification Schemes Manager

20 December 2019

19 December 2022

Date of Issue Expiry Date



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.greenbooklive.com/terms). To check the validity of this certificate and appendix please visit www.greenbooklive.com/check, scan the QR Tag, or contact us.

BRE Global Ltd., Garston, Watford WD25 9XX. T: +44 (0)333 321 8811 E: Enquiries@breglobal.com





Appendix to Certificate No: ENP472

Polyflor Ltd

Issue: 5

This certificate and appendix is maintained and held in force through annual review and verification.



Signed for BRE Global Ltd.

Laura Critien

Certification Schemes Manager

20 December 2019

19 December 2022

Date of Issue Expiry Date



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.greenbooklive.com/terms). To check the validity of this certificate and appendix please visit

www.greenbooklive.com/check, scan the QR Tag, or contact us. BRE Global Ltd., Garston, Watford WD25 9XX.

T: +44 (0)333 321 8811 E: Enquiries@breglobal.com

