SCS Global Services does hereby certify that an independent assessment has been conducted on behalf of:

## **Polyflor**

Radcliffe New Road, Whitefield, Manchester, United Kingdom

For the following product(s):

## **Vinyl Tile:**

Affinity 255 PUR, Camaro Loc PU, Camaro PUR, Camaro Rigid Core Loc, Colonia PUR, Expona Bevel Line PUR, Expona Commercial PUR, Expona Control PUR, Expona Design PUR, Expona Domestic PUR, Expona Encore Rigid Loc, Expona Clic 19 dB, Expona Living Clic, Expona Living PUR, Expona Superplank, Genero Design, The Native Collection



The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

## FloorScore®

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0

Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m<sup>3</sup> (in compliance with CDPH/EHLB Standard Method v1.2-2017)



Registration # SCS-FS-02385

Valid from: October 1, 2021 to September 30, 2022

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, http://www.scsglobalservices.com/certified-green-products-guide.



Tranky Mather Kam

Stanley Mathuram, PE, Executive Vice President
SCS Global Services
2000 Powell Street, Ste. 600, Emeryville, CA 94608 USA