

INTRODUCING THE...



Feel at home with the Colonia Luxury Vinyl Tile (LVT) collection. Carefull designed to offer a range of beautiful, desirable, and practical floor coverings.

The stunning Colonia range features four small and four large parquet designs, as well as a balanced palette of wood planks and stone tiles. Guiding you through the process of selecting your new floor, this brochure will provide you with all the inspiration you need to design your ideal interior. Browse through inspirational photography of every room in the home, with a variety of styles and creative flooring layouts. Colonia is available in a range of authentic tile and plank sizes and supported by a versatile, collection of inlay accessories.

Colonia has been constructed to withstand the demands of busy lifestyles Each plank and tile features a polyurethane reinforcement treatment to help protect your floor from every day life.

Small Parquet

Small parquet flooring brings an elegant and timeless appeal to any interior scheme. Beautifully versatile, this traditionally sized, petite plank, is available in a variety of colours from blond to cool tones.



Wood

Inspired by natural wood, these stunning plank designs effortlessly replicate detailed timber variation, creating a warm and inviting space in your home. Each design features a carefully selected surface texture to further enhance its appearance.





Large Parquet


Large parquet flooring introduces a modern approach to this increasingly popular flooring trend. The slightly longer plank sizes make rooms feel bigger, bringing a light and airy aesthetic for a clean and calm space.



Stone


A balanced collection of
contemporary and classic stone
designs replicating natural tone and
textures found in raw and man-made
materials. Each design provides a
perfect neutral backdrop for a wide
range of interiors

Small Parquet



| Bloomfield Oak Small Parquet | 8 |
|------------------------------|----|
| Midsummer Oak Small Parquet | 10 |
| Village Oak Small Parquet | 12 |
| Wisteria Oak Small Parquet | 14 |































| Bridgewater Oak Large Parquet | 18 |
|-------------------------------|----|
| Delamere Oak Large Parquet | 20 |
| Hamilton Oak Large Parquet | 22 |
| Fairmont Oak Large Parquet | 24 |


























| Fair Blond Oak | 28 |
|-------------------|----|
| Natural Bare Oak | 30 |
| Freshfield Oak | 32 |
| Marlow Oak | 34 |
| Brookland Oak | 36 |
| Country Park Oak | 38 |
| English Oak | 40 |
| Schoolhouse Oak | 42 |
| Story Oak | 44 |
| Riverview Oak | 46 |
| Cliff Top Oak | 48 |
| Bowland Oak | 50 |
| Winchester Oak | 52 |
| Coastal Driftwood | 54 |
| Fired Oak | 56 |
| | |




























































































| Silvered Concrete | 60 |
|---------------------|----|
| Fossil Limestone | 62 |
| Refined Concrete | 64 |
| Balmoral Grey Slate | 66 |
| Welsh Raven Slate | 68 |



































Collection Summary





Small Parquet



Wood Plank Size: 184.2 x 1219.2mm




Large Parquet






Wood











4381 Riverview Oak



4438 Cliff Top Oak



4391 Bowland Oak



4452 Winchester Oak



4453 Coastal Driftwood




4454 Fired Oak



4527 Silvered Concrete







4528 Refined Concrete

Stone

Tile Size: 304.8 x 609.6mm





4534 Balmoral Grey Slate



4535 Welsh Raven Slate

Inlay Accessories



ourposefully designed to enhance ea

Grouting Strips

Strip size: 3 x 914mm

Typically laid between stone tiles, grouting strips can be used as a subtle close-to-tile colour addition to your floor, or you can select a lighter or darker shade to create a contrasting effect.

2031 Ice
2033 Peαrl
2035 Grey
2037 Coffee

2039 Graphite

Marquetry Strips

Strip size: 3 x 914mm

These strips are ideal for laying between planks to create designs such as ships decking, perimeter borders or highlighting room features like fireplaces and island units.

2056 Maple

2057 Natural Oak

2058 Classic Oak

2059 Walnut



Design Tip: It is worth noting that although the Grouting Strips are ideal for the stone tiles and the Marquetry Strips suit the wood planks, they can be mixed and matched between tiles and planks to further create a unique look.

Note: As the Grouting, Marquetry & Cross Grain Marquetry Strips are cut from natural wood and stone designs, there will be variation in markings and decoration.

Feature Strips

Strip size: 5 x 1000mm

Feature strips bring a bold statement look to both planks and tiles. Create a focal point or use as a metallic highlight for a striking luxurious finish.

0026 Gold

0025 Silver

0028 Black

0032 Cream

Cross Grain Marquetry Strips

Strip sizes: 10 x 914mm & 25 x 914mm

Running across the natural wood grain, these eye catching strips create a distinct effect when used individually or in varied combinations.



2512 Walnut

78

Your Colonia Floor



| Designing Your Interior | 82 |
|-------------------------|--------|
| Laying Patterns | 84 |
| Floorcare | 86 |
| Technical Specification | 88 |
| Guarantee | 89 |
| Sustainability | 90 |
| Visualiser | 91 |







BE INSPIRED

The first stage of designing an interior is refining your ideas and planning your finished look. You can find further information and resources on our website polyflor.com



SELECT YOUR FLOOR

Browse our brochure, shadecard and retail presenter at your leisure and make a shortlist of your favourite designs.

Our room visualiser is also available to help you picture any design instantly, in every room of your home polyflor.com/visualiser, see page 91 for more information..



ORDER FREE SAMPLES

Free samples of every shade are available to order through our website polyflor.com or call the dedicated Polyflor Samples Hotline on +44 (0)161767 2551.



DISCUSS YOUR PROJECT

It is always useful to be prepared when visiting your local flooring retailer. Start by providing a rough guide of the room shape and measurements. Be sure to bring your shortlist of chosen designs, including shade name and number.






We want you to enjoy your floor for years to come, so we have prepared a list of top tips to help you keep your floor looking as good as new. See page 86 for details.


Laying Patterns











BESPOKE CUTTING: You choose your design

Polyflor have a highly experienced and creative design floor service team. There is virtually no limit to the designs that can be achieved using precision waterjet cutting, so if you have a bespoke design in mind which is not covered here, discuss it with your flooring provider.

85

84

Floorcare

Initial cleaning after your new floor has been installed:

- · Avoid walking on the floor for at least 24 hours following completion of installation
- Sweep or vacuum to prevent loose dirt or grit from scratching the floor
- · Polishing your floor can be beneficial to help prevent slight surface scratches and to provide further protection

Day to day cleaning:

- · Sweep or vacuum the floor to remove loose dirt, grit or dust
- Use clean mops and neutral cleaning solutions to regularly clean your floor. Contact Polyflor for details of approved maintenance products
- Dilute the floor cleanser to the manufacturer's instructions
- · Mop the floor evenly
- · Collect any excess liquid in a mop bucket
- · Rinse the floor with clean water and allow to dry

Regular cleaning is more beneficial to the floor covering and is more cost effective than occasional heavy cleaning.

- ✓ Install barrier mats at entrances to pick up grit and moisture (Please note, some rubber-backed mats may discolour the floor)
- ✓ Ensure your furniture is fitted with protective pads where necessary to prevent scratches
- ✓ Use protective cups under heavy furniture to prevent indentation
- ✓ Remove spillages as quickly as possible to reduce risk of staining and causing slip hazards
- ✓ Always use clean equipment when maintaining your floor
- ✓ Regularly trim pets claws as these can cause fine scratches

- DON'T: X Use abrasive liquids or metal scouring pads as these can damage the floor
 - X Clean the floor with solvents, caustic detergents, washing up liquids, soap powders, bleach, furniture polishes, petroleum based products, pine gels, stain removers or highly coloured products. Such products may make the floor slippery or cause permanent damage
 - X Drag furniture with unprotected feet across the floor



WE HIGHLY RECOMMEND YOU USE THE POLYFLOR FLOOR CARE KIT TO MAINTAIN YOUR COLONIA FLOOR. You can find out more information and order your floor care kit from your Colonia retailer.



Technical Specification

PLANK & TILE SIZES

| Format | Size | Shades | Quantity per Box | Coverage per Box |
|--------|------------------|--------|------------------|--------------------|
| Plank | 76.2 x 228.6mm | 4 | 192 | 3.34m² |
| | 76.2 x 457.2mm | 4 | 96 | 3.34m² |
| | 152.4 x 1219.2mm | 2 | 18 | 3.34m² |
| | 184.2 x 1219.2mm | 13 | 15 | 3.37m ² |
| | 457.2 x 457.2mm | 3 | 16 | 3.34m² |
| Tile | 304.8 x 609.6mm | 2 | 18 | 3.34m ² |

PRODUCT FORMAT

| Gauge | ISO 24346 (EN 428) | 2.0mm |
|--------------|--------------------|----------|
| Wear Layer | ISO 24340 (EN 429) | 0.20mm |
| Total Weight | ISO 23997 (EN 430) | 3680g/m² |
| Finish | PUR | |

PERFORMANCE REQUIREMENTS

| • | | |
|-------------------------------|-------------------------------|-----------------------------------|
| General Performance | ISO 10582 (EN 649) | Conforms |
| Use Area | ISO 10874 (EN 685) | 22 |
| | EN 13893 | Class DS |
| Slip Resistance | DIN 51130/DIN EN 16165 Ann. B | R10 |
| | AS 4586 Appendix D | R10 |
| Binder Content | ISO 10582 | Туре І |
| Abrasion Resistance | EN 649 | Group T |
| | EN 13501-1 | Class BfI-S1 |
| Reaction to Fire | ASTM E662 | <450 Pass |
| | ASTM E648 | Class 1 |
| Static Electrical Propensity | EN 1815 | ≤2.0kV Classified as 'antistatic' |
| Residual Indentation | ISO 24343-1 | <0.05mm* |
| Castor Chair (continuous use) | ISO 4918 (EN 425) | Suitable |
| Dimensional Stability | ISO 23999 (EN 434) | ≤0.10% |
| Underfloor Heating | | Suitable, max 27°C |
| Light Fastness | ISO 105-B02 (Method 3) | ≥6 |
| | | |

 $^{{}^*\!}Average\,test\,value\,from\,current\,production.$

SUSTAINABILITY

| BRE Green Guide | A ENP 429 |
|---------------------------|----------------------------|
| Generic EN 15804 EPD | Available |
| Recyclable | 100% |
| Recycled Content | Up to 40% |
| REACH | Compliant |
| Indoor Air Comfort Gold | Eurofins certified product |
| FloorScore | Certified |
| Finnish M1 Classification | Certified |
| | |

| AgBB/ABG | | Pass | |
|-------------------------|--------------------|------------------|--|
| Responsible Sourcing | BES 6001 | Very Good | |
| | SA 8000 | Approved factory | |
| ACOUSTIC PERFORMANCE | | | |
| Impact Sound Reduction | ISO 10140-3 | 2dB | |
| MAINTENANCE PERFORMA | NCE | | |
| Resistance to Chemicals | ISO 26987 (EN 423) | Good resistance | |

For general information on your specific project, speak with your local Colonia provider. If you require specific detailed technical data, contact Polyflor Customer Technical Services on +44 (0) 161 767 1912 or email tech@polyflor.com

Guarantee

The Colonia collection of luxury vinyl tiles has been developed to meet the highest technical specification of its type. Ideal for all areas of the home, the products ensure high performance and optimum style. Compared with many alternative flooring options, Colonia will under normal conditions resist household stains, will not crack, chip or splinter.

The manufacturers of Colonia are confident that the high quality products will provide many years of valuable service. All products purchased from the range are guaranteed for 7 years against normal wear and tear in the recommended environment, provided that they have been fitted correctly and maintained in accordance with the manufacturer's instructions. Full terms and conditions of the guarantee are available on request from your flooring wholesaler or Polyflor Ltd.



Free Samples

We highly recommend you view a sample of your favourite designs, which is why we offer a complimentary sampling service. Visit the Polyflor website, call the dedicated Polyflor Samples Hotline on (905) 364-3000 or speak with your local Polyflor provider.



Sustainability

The increased awareness of sustainable development is a key aspect of manufacturing and as such, Colonia is 100% recyclable, contains up to 40% recycled content and can be recycled through Polyflor's recycling scheme, Recofloor.

Polyflor floor coverings contain a combination of materials which are clean, natural and recycled for a more sustainable end product.

These materials are responsibly sourced in accordance with our third party verified BES 6001 certification. Colonia luxury vinyl flooring contributes positively to indoor air comfort and quality, it is certified by Indoor Air Comfort Gold and FloorScore® as extremely low VOC.

Polyflor is certified to ISO 14001 and ISO 9001 ensuring the best environmental and quality management systems. What's more, Polyflor has achieved SA 8000 approved factory status, providing social accountability throughout our manufacturing processes. Not only do we look to minimise our carbon footprint, but yours too. Choose Polyflor for zero compromise on style, function and the environment.

For further details on Polyflor's achievements in areas such as recycling, energy reduction and waste avoidance visit polyflor.ca



COLONIA

POLYFLOR™ INTERNATIONAL

Australia

Polyflor Australia Tel: 1800 777 425

Email: sales@polyflor.com.au

Canada

Polyflor Canada Inc. Tel: +1 905 364 3000 Email: sales@polyflor.ca

China

Polyflor Hong Kong O/B Polyflor Ltd. Tel: +(852) 2865 0101 Email: info@polyflor.com.hk

Colombia

Polyflor Ltd. (LATAM Office) Tel: +57 3142859005 Email: info@polyflor.com

France

James Halstead France SAS Tel: +33 (0)8 20 20 32 11 Email: info@jhfrance.fr

Germany

objectflor Art und Design Belags GmbH Tel: +49 (0) 2236 966 330 Email: info@objectflor.de

Polyflor India Pvt Ltd. Tel: +91 22 4023 2485 Tel: +91 22 4023 2486 Email: info@polyflor.co.in

Ireland

Polyflor Ireland Tel: +353 (1) 864 9304 Email: salesireland@polyflor.com

Malaysia

Polyflor Martex Tel: 1300 80 7788 Email: sales@polyflor.com.my

Middle East

Polyflor Ltd. Tel: +971 50 406 8114 Email: info@polyflor.com

New Zealand

Polyflor New Zealand Ltd. Tel: 0800 765 935 Tel: +64 9 269 1111 Email: sales@polyflor.co.nz

Norway

Polyflor Nordic Tel: +47 23 00 84 00 Email: firmapost@polyflor.no

Spain

Polyflor Ltd. Tel: +34 619 949 054 Email: info@polyflor.com

Sweden

Polyflor Nordic Sweden AB Tel: +46 (0) 300 15820 Email: info@polyflor.se



POLYFLOR CANADA INC.

3209 Orlando Drive Mississauga Ontario, L4V 1C5, Canada

Tel: 905-364-3000 Email: sales@polyflor.ca

LIT445 04/24

James Halitead™