

EXPONA®

NOW
INCLUDING
SIMPLAY
ACOUSTIC



SIMPLAY

LOOSE LAY & ACOUSTIC LUXURY VINYL TILES

SIMPLAY

The innovative design features a glass fibre stabilisation layer to enhance dimensional stability, combined with a distinct honeycomb backing layer to ensure the planks and tiles remain in place.

Available in all 25 shades



SIMPLAY



The same innovative design, yet engineered with a fully incorporated IXPE 19dB acoustic backing layer to ensure the flooring is even more silent. Installation with a simple tackifier facilitates swift fitting.

Available in 12 shades

LOOSE LAY DESIGN FLOORING

Expona Simplay presents a collection of loose lay vinyl planks and tiles, specifically developed for heavy commercial interiors which require design-led and practical floor coverings.

Authentic reproductions of natural materials have been created in an adhesive-free, ready to lay product, designed to significantly reduce installation time.

The innovative vinyl construction features a glass fibre stabilisation layer to enhance dimensional stability and also a unique honeycomb backing layer. Combining weight and friction, the honeycomb backing creates a strong bond to the subfloor ensuring the product remains in place without adhesive. As a result, planks and tiles are easily replaceable; ideal for temporary or permanent installations.

PERFECT FOR



OFFICES

Office interiors, corridors, break-out rooms, storage, meeting and reception areas are ideal environments for use, enhancing design schemes and allowing easy underfloor access to cabling and pipework.



RETAIL

Retail interiors, front and back of house, zonal sales areas and presentation points are also ideal situations for use. Another benefit of Expona Simplay is that the individual floor tiles can be easily replaced, relocated and reused, allowing temporary sales areas to be successfully highlighted and refreshed.



HOSPITALITY

Hospitality environments including pop-up or permanent installations, exhibition spaces, restaurants, lobbies and guest rooms all perfectly meet the Expona Simplay criteria, even in busy footfall and demanding areas.

DESIGNED TO LAY
ALONGSIDE MOST
CARPET TILES



EASY TO LIFT UP AND
REPLACE INDIVIDUAL
PLANKS OR TILES




EXPONA SIMPLAY 19dB

For areas which require a high-performance acoustic product without wanting to compromise on design, look no further than Expona Simplay 19dB. 12 shades from the Expona Simplay collection are also available with a fully integrated IXPE acoustic backing, reducing impact sound by up to 19dB, ideal for heavy traffic areas subject to intense use.



Important: Installation of Expona Simplay 19dB requires application of a tackifier to ensure the planks and tiles are securely held in place.




19dB



Acoustic backing on selected shades only. Look out for the 19dB acoustic symbol.

EXPONA SIMPLAY



EXPONA SIMPLAY 19dB




COLLECTION OVERVIEW

The Expona Simplay collection of 25 shades, (12 available as Acoustic 19dB) spans a plethora of wood species, natural stone and man-made materials, each featuring a complementary surface texture for an authentic appearance. Browse through the following pages, or navigate directly to the shade you want using the references below.

See pages 42-43 for formats and sizes.

WOOD




19dB

2501 Light Cherry

9061 Light Cherry

p13



19dB

2503 American Oak

9062 American Oak

p14



2520 Light Classic Oak

p14




2521 Medium Classic Oak

p15



2505 Dark Country Oak

p17




19dB

2506 Grey Country Oak

9063 Grey Country Oak

p18




19dB

2507 Blond Country Oak

9064 Blond Country Oak

p19



2570 Brown Wild Oak

p21




2571 Natural Wild Oak

p22



2572 Honey Wild Oak

p23



19dB

2513 White Rustic Pine

9067 White Rustic Pine

p24



19dB


2514 Natural Rustic Pine

9068 Natural Rustic Pine

p25

EXPONA SIMPLAY

EXPONA SIMPLAY 19dB




19dB

2511 Natural Ash

9065 Natural Ash

p27



19dB

2512 Grey Ash

9066 Grey Ash

p26



2509 Light Grey Flneine

p28



2510 Dark Grey Flneine

p29




2504 Rich Walnut

p30



2518 Grey Mystique Wood

p31




19dB

2566 Cold Grey Concrete

9069 Cold Grey Concrete

p37




19dB

2567 Light Grey Concrete

9070 Light Grey Concrete

p36



19dB

2568 Warm Grey Concrete

9071 Warm Grey Concrete

p36



19dB

2569 Dark Grey Concrete


9072 Dark Grey Concrete

p35



2579 Light Mono

p39



2581 Charcoal Mono

p38



2582 Black Slate

p40

STONE

WOOD

SIMPLAY

Combining beautifully replicated timber plank designs and authentic wood textures, Expona Simplay encompasses a wide spectrum of wood species to suit any commercial interior. Each design features bevelled edges for a timeless timber plank effect, as well as fine grain and knot detailing which creates movement and natural variation, typical of real wooden floor coverings.



**CLASSIC
OAK**
p.12



**COUNTRY
OAK**
p.16



WILD OAK
p.20



RUSTIC PINE
p.24



ASH
p.26



FINELINE
p.28



WALNUT
p.30



**CROSS -
SAWN**
p.31

CLASSIC OAK



2501 Light Cherry
9061 Light Cherry (19dB)

177.8 x 1219.2mm
Emboss: Fine wood structure



2503 American Oak
9062 American Oak (19dB)

177.8 x 1219.2mm
Emboss: Fine wood structure



2520 Light Classic Oak

185 x 1505mm
Emboss: Fine wood structure



2521 Medium Classic Oak

185 x 1505mm
Emboss: Fine wood structure



2501 Light Cherry
9061 Light Cherry (19dB)

CLASSIC OAK



2503 American Oak
9062 American Oak (19dB)



2520 Light Classic Oak



2521 Medium Classic Oak 15

COUNTRY OAK



2505 Dark Country Oak

177.8 x 1219.2mm
Emboss: Rustic wood structure




2506 Grey Country Oak
9063 Grey Country Oak (19dB)

177.8 x 1219.2mm
Emboss: Rustic wood structure



2507 Blond Country Oak
9064 Blond Country Oak (19dB)

177.8 x 1219.2mm
Emboss: Rustic wood structure





2506 Grey Country Oak
9063 Grey Country Oak (19dB)



2507 Blond Country Oak
9064 Blond Country Oak (19dB)

WILD OAK



2570 Brown Wild Oak

177.8 x 1219.2mm
Emboss: Satin wood structure



2571 Natural Wild Oak

177.8 x 1219.2mm
Emboss: Satin wood structure



2572 Honey Wild Oak

177.8 x 1219.2mm
Emboss: Satin wood structure





2572 Honey Wild Oak

RUSTIC PINE



2513 White Rustic Pine
9067 White Rustic Pine (19dB)
177.8 x 1219.2mm
Emboss: Rustic wood structure



2514 Natural Rustic Pine
9068 Natural Rustic Pine (19dB)
177.8 x 1219.2mm
Emboss: Rustic wood structure



2513 White Rustic Pine
9067 White Rustic Pine (19dB)



2514 Natural Rustic Pine
9068 Natural Rustic Pine (19dB)



2511 Natural Ash
9065 Natural Ash (19dB)

177.8 x 1219.2mm
Emboss: Fine wood structure



2512 Grey Ash
9066 Grey Ash (19dB)

177.8 x 1219.2mm
Emboss: Finewood structure



2512 Grey Ash
9066 Grey Ash (19dB)



2511 Natural Ash
9065 Natural Ash (19dB)



2509 Light Grey Fineline

177.8 x 1219.2mm
Emboss: Fine wood structure



2510 Dark Grey Fineline

177.8 x 1219.2mm
Emboss: Fine wood structure



2509 Light Grey Fineline



WALNUT



2504 Rich Walnut

177.8 x 1219.2mm
Emboss: Fine wood structure



CROSS-SAWN



2518 Grey Mystique Wood

185 x 1505mm
Emboss: Rustic wood structure




STONE

SIMPLAY

Combining smooth and weathered designs with realistic surface textures, Expona Simplay Stone showcases a blend of natural and man-made materials for an authentic finish. Designed to enhance or blend seamlessly within new and existing interiors, the larger format tiles are an ideal choice for expansive commercial applications.



CONCRETE
p.34



MONO
p.38



SLATE
p.40

CONCRETE



2567 Light Grey Concrete
9070 Light Grey Concrete (19dB)

600 x 600mm
Emboss: Fine stonestructure



2569 Dark Grey Concrete
9072 Dark Grey Concrete (19dB)

600 x 600mm
Emboss: Fine stonestructure



2568 Warm Grey Concrete
9071 Warm Grey Concrete (19dB)

600 x 600mm
Emboss: Fine stonestructure



2566 Cold Grey Concrete
9069 Cold Grey Concrete (19dB)

600 x 600mm
Emboss: Fine stonestructure



2569 Dark Grey Concrete
9072 Dark Grey Concrete (19dB)

CONCRETE



2567 Light Grey Concrete
9070 Light Grey Concrete (19dB)



2568 Warm Grey Concrete
9071 Warm Grey Concrete (19dB)



2566 Cold Grey Concrete
9069 Cold Grey Concrete (19dB)



OVERSIZED TILES



2579 Light Mono

914.4 x 914.4mm
Emboss: Basalt stone structure



2581 Charcoal Mono

914.4 x 914.4mm
Emboss: Basalt stone structure



2581 Charcoal Mono





2582 Black Slate

304.8 x 609.6mm
Emboss: Basalt stone structure



» View the collection at a glance.

The following pages summarise the Expona Simplay collection, featuring accurate product scans as well as detailing all plank and tile sizes.

Designs which are available in acoustic 19dB, feature pattern variations or bevelled edges are highlighted with corresponding icons for easy identification. Furthermore, the whole collection has been grouped by varying plank or tile size, therefore depending on the scale of installation a suitable design can be quickly selected.

WOOD COLLECTION

177.8 x 1219.2mm
Box: 10 pieces
Coverage: 2.17m²



2501 Light Cherry
9061 Light Cherry (19dB)



2503 American Oak
9062 American Oak (19dB)



2504 Rich Walnut



2505 Dark Country Oak



2506 Grey Country Oak
9063 Grey Country Oak (19dB)



2507 Blond Country Oak
9064 Blond Country Oak (19dB)



2509 Light Grey Finline



2510 Dark Grey Finline



2511 Natural Ash
9065 Natural Ash (19dB)



2512 Grey Ash
9066 Grey Ash (19dB)



2513 White Rustic Pine
9067 White Rustic Pine (19dB)



2514 Natural Rustic Pine
9068 Natural Rustic Pine (19dB)



2570 Brown Wild Oak



2571 Natural Wild Oak



2572 Honey Wild Oak

185 x 1505mm
Box: 8 pieces
Coverage: 2.23m²



2518 Grey Mystique Wood



2520 Light Classic Oak



2521 Medium Classic Oak


STONE COLLECTION

304.8 x 609.6mm
Box: 10 pieces
Coverage: 1.86m²




2582 Black Slate

600 x 600mm
Box: 6 pieces
Coverage: 2.16m²




2567 Light Grey Concrete
9070 Light Grey Concrete (19dB)



2569 Dark Grey Concrete
9072 Dark Grey Concrete (19dB)



2568 Warm Grey Concrete
9071 Warm Grey Concrete (19dB)




2566 Cold Grey Concrete
9069 Cold Grey Concrete (19dB)

914.4 x 914.4mm
Box: 4 pieces
Coverage: 3.34m²



2579 Light Mono



2581 Charcoal Mono

Bevelled edges Pattern and/or colour variation Oversized tiles

Although we endeavour to ensure the brochure print process replicates a true colour depiction of each product, we recommend you view an actual sample which we shall be pleased to supply, free of charge. Visit www.polyflor.com and follow the samples link for further details.

DECORATIVE DESIGN FLOORS


Laid individually, Luxury Vinyl Tiles allow us to discover a plethora of flooring designs, including zoning and decorative patterns. By using a single shade or combining varying planks or tiles in an assortment of layouts, stunning results can be achieved with little effort. What's more, the ease of Expona Simplay to be laid, lifted and moved elsewhere means design floors can be refreshed with minimum disruption.

Double Plank Tramline



DESIGNS TO MIX & MATCH


With little or no cutting required, beautiful flooring installations such as herringbone in one or more shades, can create eye-catching installations. Our diverse designs, which can be mixed, allow us to bring you an extremely wide portfolio of innovative decors for your flooring. There's no end of imaginative combinations.



EMBOSSING

Expona Simplay offers exceptional quality and a range of leading wood and stone designs as a result of extensive research and innovative product development.

The surface embossing developed for Expona Simplay has been designed to precisely replicate the appearance and feel of real wood and natural stone structures. The combination of high clarity films with tactile surface finishes mirrors the authentic beauty of natural timber and stone without the maintenance to match.




Satin wood structure



Fine wood structure



Rustic wood structure



Basalt stone structure



Fine stone structure

BEVELLED EDGES

Bevelled edges accentuate the individual form of each Expona Simplay plank and tile, creating a more authentic floorboard or tile effect when laid.



SUPPORT

CONTACT US

For general information on your specific project, either speak with your local Polyflor provider or contact us directly. If you require additional detailed technical data, either visit polyflor.com and follow the links to the technical pages, contact Polyflor Customer Technical Services on **(905) 364-3000** or email sales@polyflor.ca

ORDER SAMPLES

Polyflor provide a complementary product sample service so you can sample your choice of flooring before you make your final selection, and ensure you find the exact floor covering you are looking for. To order your free sample of any Expona Simplay colour, visit the Polyflor website, call the dedicated Polyflor Samples Hotline on **(905) 364-3000** or speak with your local Polyflor product consultants.

TECHNICAL SPECIFICATION

Product Sizes	Size	Shades	Quantity per Box	Coverageper Box
Plank	177.8mm x 1219.2mm	15	10	2.17m²
	185mm x 1505mm	3	8	2.23m²
Tile	304.8mm x 609.6mm	1	10	1.86m²
	600mm x 600mm	4	6	2.16m²
	914.4mm x 914.4mm	2	4	3.34m²

Product Format	Standard	SIMPLAY	SIMPLAY9dB
Gauge	ISO 24346 (EN 428)	5.0mm	5.0mm
Wear Layer	ISO 24340 (EN 429)	0.70mm	0.55mm
Total Weight	ISO 23997 (EN 430)	8000g/m²	6380g/m²
Finish		PUR	PUR

Performance Requirements	Standard		
General Performance	ISO 10582 (EN 649) ISO 11638 (EN 651) ASTM F1700	Conforms - Class III Type A+B	- Conforms -
Use Area	ISO 10874 (EN 685)	23, 34, 43	23, 33, 42**
Slip Resistance	EN 13893 DIN 51130/DIN EN 16165 Ann. B AS 4586 ASTM D2047	Class DS R10 R10 SCOF ≥0.5	Class DS R10 R10 SCOF ≥0.5
Binder Content	ISO 10582	Type I	Type I
Abrasion Resistance	EN 649	Group T	Group T
Reaction to Fire	EN 13501-1 ASTM E662 ASTM E648 AS ISO 9239-1 CAN/ULC S102.2	Class Bfl-S1 <450 Pass Class 1 >4.8 kW/m² FSV < 300; SDV < 500	Class Cfl-S1 - Class 1 >4.5 kW/m² FSV < 300; SDV < 500
Static Electrical Propensity	EN 1815	≤2.0kV Classified as 'antistatic'	-
Residual Indentation	ISO 24343-1 (EN 433) ASTM F970 ASTM F1914	≤0.10mm* ≤0.005" @ 750psi ≤0.005"	≤0.20mm* 0.018" @ 750psi*** 0.019"***
Castor Chair (continuous use)	ISO 4918 (EN 425)	Suitable	Suitable
Dimensional Stability	ISO 23999 (EN 434) ASTM F2199	≤0.10% Pass	≤0.25% Pass
Flexibility	ASTM F137	1" - Pass	1" - Pass
Underfloor Heating		Suitable, max 27°C	Suitable, max 27°C
Light Fastness	ISO 105-B02 (Method 3)	≥6	≥6
Resistance to Light	ASTM F1515	ΔE ≤ 8.0 - Meets	ΔE ≤ 8.0 - Meets
Resistance to Heat	ASTM F1514	ΔE ≤ 8.0 - Meets	ΔE ≤ 8.0 - Meets

Sustainability	Standard	
BRE Green Guide	A+ Generic	A+ Generic
Recyclable & Reusable	100%	100%
Recycled Content	20%	17%
Bio-PVC	Contains Bio-PVC	Contains Bio-PVC
REACH	Compliant	Compliant
Indoor Air Comfort Gold	Eurofins certified product	Eurofins certified product
FloorScore	Certified	Certified
Finnish M1 Classification	Meets requirements****	-
AgBB/ABG	Pass	Pass

Acoustic Performance	Standard		
Impact Sound Reduction	ISO 10140-3	8dB	19dB
Sound Transmission Coefficient	ASTM E90/492	STC 55	STC 55
Impact Insulation Class	ASTM E90/492	IIC 46	IIC 56
IXPE Acoustic Layer		-	1.0mm

Maintenance Performance	Standard		
Resistance to Chemicals	ISO 26987 (EN 423) ASTM F925	Good resistance Good resistance	Good resistance Good resistance

Resistant depending on concentration and time of exposure, in case of increased impact of oils, grease, acids and alkalis and other aggressive chemicals – please contact us.
Regular light maintenance is more cost-effective than periodic heavy maintenance and more beneficial to the floor covering.

- * Average test value from current production.
- ** Heavy rolling loads to be avoided.
- *** When tested with pre-attached underlay.
- **** Product tested and report available on request.



SUSTAINABILITY

As a leading global manufacturer of high-quality, high-performance sustainable floor coverings, Polyflor has demonstrated a significant level of commitment to minimising environmental impact. This meets the company’s values, but also complies with ongoing objectives for ISO 14001 Environmental Management System and BES 6001 Responsible Sourcing accreditation.

Expona Simplay is 100% recyclable, whilst also containing up to 20% recycled material. It contains 64% natural material, is phthalate free, REACH compliant and contains Bio-PVC. Not only do Polyflor look to minimise their carbon footprint, but yours too. Expona Simplay is extremely durable with its 0.7mm wear layer and PUR finish, and if installed and maintained correctly can last for 15 years or beyond. Easily cleaned with fewer chemicals, less water, and less energy, it is also non-shedding and does not harbour dust – important for clean air quality.

Furthermore Expona Simplay achieves Indoor Air Comfort Gold and FloorScore certification for exceptionally low VOC emissions, providing indoor air quality and comfort. In support of sustainable construction, particularly with regards to BRE, LEED, WELL, SKA and Green Star projects, Polyflor has a product specific EPD (Environmental Product Declaration), to assist.

For more information on our sustainability credentials, go to **www.polyflor.ca**



POLYFLOR INTERNATIONAL

Australia Polyflor Australia Tel: 1800 777 425 Email: sales@polyflor.com.au	Ireland Polyflor Ireland Tel: +353 (1) 864 9304 Email: salesireland@polyflor.com
Canada Polyflor Canada Inc. Tel: +1 905 364 3000 Email: sales@polyflor.ca	Malaysia Polyflor Martex Tel: 1300 80 7788 Email: sales@polyflor.com.my
China Polyflor Hong Kong O/B Polyflor Ltd. Tel: +(852) 2865 0101 Email: info@polyflor.com.hk	Middle East Polyflor Ltd. Tel: +971 50 406 8114 Email: info@polyflor.com
Colombia Polyflor Ltd. (LATAM Office) Tel: +57 3142859005 Email: info@polyflor.com	New Zealand Polyflor New Zealand Ltd. Tel: 0800 765 935 Tel: +64 9 269 1111 Email: sales@polyflor.co.nz
France James Halstead France SAS Tel: +33 (0)8 20 20 32 11 Email: info@jhfrance.fr	Norway Polyflor Nordic Tel: +47 23 00 84 00 Email: firmapost@polyflor.no
Germany objectflor Art und Design Belags GmbH Tel: +49 (0) 2236 966 330 Email: info@objectflor.de	Spain Polyflor Ltd. Tel: +34 619 949 054 Email: info@polyflor.com
India Polyflor India Pvt Ltd. Tel: +91 22 4023 2485 Tel: +91 22 4023 2486 Email: info@polyflor.co.in	Sweden Polyflor Nordic Sweden AB Tel: +46 (0) 300 15820 Email: info@polyflor.se

POLYFLOR CANADA INC.

3209 Orlando Dr, Mississauga, Ontario
L4V 1C5, Canada
Tel: (905) 364-3000
Email: sales@polyflor.ca

www.polyflor.ca



www.polyflor.ca