

SCS Global Services does hereby certify that an independent assessment has been conducted on behalf of:

James Halstead PLC

Beechfield Hollinhurst Road, Whitefield, Manchester, M26 3XB, United Kingdom

For the following product(s):

Vinyl Tile:

Expona Fabrik, Expona Puzzle, Expona Simplay, Expona Simplay 19dB, Freeline, Karri, Laneway, Mi Plank, MiPlank Acoustic

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

FloorScore®

Indoor Air Quality Certified to SCS-105 v4.2-2023

Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m³ (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Registration # SCS-FS-02906

Valid from: October 01, 2024 to September 30, 2025

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, <http://www.scsglobalservices.com/certified-green-products-guide>.



A handwritten signature in black ink.

Diana Kirsanova Phillips,
Chief of Staff to the CEO/Chief Assurance Officer