



Polysafe™

QUICKLAY PUR



## QUICKLAY PUR

Polysafe QuickLay is a loose lay slip resistant safety flooring designed for adhesive-free installation.

Designed to be a practical choice for contractors and specifiers alike, Polysafe QuickLay is a temporary or permanent floor covering which achieves the same performance and durability as other Polysafe flooring collections but with the added benefits of adhesive-free installation.

- Safety loose lay flooring available in 12 colours
- PUR no wax, no finish, low maintenance
- R11 slip resistance per standard DIN 51130







# Polysafe QuickLay PUR

## Technical Specification

Product Format		
Gauge	ISO 24346 (EN 428)	2.2mm
Total Weight	ISO 23997 (EN 430)	2700g/m <sup>2</sup>
Finish	PUR	
Performance Requirements		
General Performance	EN 13845	Conforms
	ASTM F1303	Conforms
Use Area	ISO 10874 (EN 685)	23, 34, 43
Enhanced Slip Resistance	EN 13845	ESf
	AS 4586 Appendix A	P4
	AS 4586 Appendix D	R11
	RRL Pendulum Test	≥45 (wet test - 4S Rubber / Slider 96)
	DIN 51130 / DIN EN 16165 Ann. B	R11
	Surface Roughness	Rz ≥20µm
	ASTM D2047	SCOF ≥0.8
Abrasion Resistance	EN 13845	50,000 cycles
Reaction to Fire	EN 13501-1	Class Bfl-S1
	ASTM E648	Class 1
	Australian BCA Spec C1.10-3	Complies
	CAN/ULC S102.2	FSV < 300; SDV < 500
	AS ISO 9239-1	>8.0kW/m <sup>2</sup>
Static Electrical Propensity	EN 1815	≤2.0kV Classified as 'antistatic'
Residual Indentation	ISO 24343-1	≤0.10mm
	ASTM F970 (Modified)	≤0.005" (750 psi)
Flexibility	ASTM F137	1.5" Pass
Resistance to Light	ASTM F1515	ΔE ≤ 8.0 - Meets
Resistance to Heat	ASTM F1514	ΔE ≤ 8.0 - Meets
Castor Chair	ISO 4918 (EN 425)	Suitable

## Sheet Size

Format	Size	Shades	Coverage per Roll
Sheet	2m x 20m (2.187 yds x 21.872 yds)	12	40m <sup>2</sup> (47.834 yds)

Sustainability	
BRE Green Guide	A+ Generic
Generic EN 15804 EPD	Available
Recyclable & Reusable	100%
Recycled Content	Contains recycled material
REACH	Compliant
Indoor Air Comfort Gold	Eurofins certified product
FloorScore	Certified
Finnish M1 Classification	Certified
AgBB/ABG	Pass

Acoustic Performance		
Impact Sound Reduction	ISO 10140-3	10dB

Maintenance Performance		
Resistance to Chemicals	ISO 26987 (EN 423)	Good resistance
	ASTM F925	Good resistance
Alco Hand Gels	Compatible for use with most commonly used alco-based hand gels	
Steam Cleaning	Suitable for steam cleaning on a periodic basis	
All Polyflor commercial sheet vinyl ranges provide a continuous, impervious and hygienic flooring solution which can be confidently cleaned in accordance with recommended maintenance procedures and approved maintenance products.		
The implementation of an effective cleaning regime is the most important defence against infection.		
Hygiene		
Bacterial Resistance	ISO 846 Part C	Does not favour growth

## Polysafe QuickLay PUR



Vanilla 6253  
NCS S 1502-Y

w/r 5221  
LRV 63



Mocha 6249  
NCS S 3005-Y20R

w/r 5212  
LRV 43



Americano 6256  
NCS S 6502-R

w/r 5204  
LRV 12



Rich Black 6252  
NCS S 8000-N

w/r 8640  
LRV 7



Rock Salt 6251  
NCS S 3000-N

w/r 9858  
LRV 43



Monsoon 6248  
NCS S 4500-N

w/r 5764  
LRV 25



Glacier 6241  
NCS S 2502-B

w/r 5202  
LRV 47




Pebble Shore 6250  
NCS S 5500-N

w/r 5233  
LRV 21



Sea Breeze 6254  
NCS S 2020-B

w/r 5205  
LRV 44




Azure 6255  
NCS S 3030-R90B

w/r 5206  
LRV 31




Pacific Blue 6244  
NCS S 3020-R90B

w/r 5208  
LRV 29



Midnight Blue 6245  
NCS S 6010-R90B

w/r 5207  
LRV 12



Studded  
Back Technology

w/r - Weld Rod

LRV - Light Reflectance Value

NCS - Natural Colour System






Glacier 6241



Vanilla 6253



Monsoon 6248



Vanilla 6253



# All you need to know

## Our history

Founded in 1915, James Halstead plc, the parent company of Polyflor Ltd, was originally a textile company based in Manchester, UK, until the 1950's when it pioneered the development of homogeneous vinyl floorings.



## Responsible sourcing

Polyflor is proud to be the first flooring manufacturer to be awarded BES 6001 certification for the Responsible Sourcing of Construction Product, achieving an Excellent rating. This is a recognised standard certified by BRE Global which proves that a manufacturer is using materials that have been responsibly sourced and acts responsibly.




## Help is here

Polyflor has dedicated and experienced personnel within its sales, marketing, technical and design departments, to provide comprehensive support to our customers. We are ready to assist with queries on topics such as product selection, specification, installation, performance and ongoing maintenance.




## Product innovation

In collaboration with industry partners, Polyflor is working on developments in new products and technologies. Recent launches include a non-directional homogeneous sheet collection that keeps waste to a minimum and loose lay adhesive-free safety sheet and high design tile and plank flooring for quick turnaround projects.



## Design service

Our designers can provide visuals and advise colours and product choices when you're looking to create a memorable floor design. We offer the precision and the flexibility of waterjet cutting to produce any design you require.



## BIM objects

A selection of Polyflor's market leading product ranges are now available as Building Information Modelling (BIM) objects. These objects can be downloaded free of charge from the NBS National BIM Library or [www.polyflor.com/bim](http://www.polyflor.com/bim) and [www.bimobject.com](http://www.bimobject.com)

## Commitment to our supply chain

With ISO 9001 Quality Management and ISO 14001 accreditation, the availability of consistent, good quality products is ensured. We test our products to a wide range of international standards, including slip resistance and VOC emissions, to back-up their performance.



## Flooring when you need it

Thanks to Polyflor's extensive warehousing facilities and commitment to holding large quantities of stock, we can react quickly to orders and offer faster lead times for our customers. Polyflor products are readily available worldwide through our wide network of supporting agents and wholesale partners.



## Training at Polyflor

To encourage best practice throughout the flooring sector, Polyflor offers both floor laying and floor cleaning courses in a purpose-built facility. For more info contact [info@polyflor.ca](mailto:info@polyflor.ca)



## Recycling vinyl

Polyflor is a co-founding and funding member of Recofloor, the UK flooring industry's leading vinyl take back scheme for waste vinyl off-cuts and smooth uplifted flooring. For more information about the Recofloor recycling scheme visit [www.recofloor.org](http://www.recofloor.org)



## Low maintenance

Polyflor's PUR polyurethane reinforcement is cross linked and UV cured for enhanced protection, optimum appearance retention and superior cleaning benefits such as an easier more environmentally friendly maintenance regime. For further in-depth and tailored information on floor maintenance, visit [www.polyflor.ca](http://www.polyflor.ca)



## Free samples

To request free individual product samples of any of Polyflor's flooring collections, visit [www.polyflor.ca](http://www.polyflor.ca) or email us at [samples@polyflor.ca](mailto:samples@polyflor.ca). Alternatively, you can call the dedicated Polyflor Sample Hotline on (905) 364-3000





Mocha 6249



Vanilla 6253



POLYFLOR™ INTERNATIONAL

Australia  
Polyflor Australia  
Tel: 1800 777 425  
Email: sales@polyflor.com.au

Canada  
Polyflor Canada Inc.  
Tel: +1 905 364 3000  
Email: sales@polyflor.ca

China  
Polyflor Hong Kong O/B Polyflor Ltd.  
Tel: +(852) 2865 0101  
Email: info@polyflor.com.hk

Colombia  
Polyflor Ltd. (LATAM Office)  
Tel: +57 3223082375  
Email: info@polyflor.com

France  
James Halstead France SAS  
Tel: +33 (0)8 20 20 32 11  
Email: info@jhfrance.fr

Germany  
objectflor Art und Design Belags GmbH  
Tel: +49 (0) 2236 966 330  
Email: info@objectflor.de

India  
Polyflor India Pvt Ltd.  
Tel: +91 22 4023 2485  
Tel: +91 22 4023 2486  
Email: info@polyflor.co.in

Ireland  
Polyflor Ireland  
Tel: +353 (1) 864 9304  
Email: salesireland@polyflor.com

Malaysia  
Polyflor Martex  
Tel: 1300 80 7788  
Email: sales@polyflor.com.my

Middle East  
Polyflor FZE  
Tel: +971 50 406 8114  
E-mail: aelwakil@polyflorfze.ae

New Zealand  
Polyflor New Zealand Ltd.  
Tel: 0800 765 935  
Tel: +64 9 269 1111  
Email: sales@polyflor.co.nz

Norway  
Polyflor Nordic  
Tel: +47 23 00 84 00  
Email: firmapost@polyflor.no

Spain  
Polyflor Ltd.  
Tel: +34 619 949 054  
Email: info@polyflor.com

Sweden  
Polyflor Nordic Sweden AB  
Tel: +46 (0) 300 15820  
Email: info@polyflor.se

POLYFLOR CANADA INC.

3209 Orlando Dr, Mississauga Ontario  
L4V 1C5, Canada

Tel: (905) 364-3000

E-mail: sales@polyflor.ca

[www.polyflor.ca](http://www.polyflor.ca)

*James Halstead™*  
FLOORING